

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	637	hardware\$2 with resource\$3 with available\$2	USPAT	OR	OFF	2005/07/06 16:45
L2	868	((hardware\$2 with resource\$3) or CPU with memory with storag\$3) with available\$2	USPAT	OR	OFF	2005/07/06 16:46
L3	29	((hardware\$2 with resource\$3) or CPU with memory with storag\$3) with available\$2 with server\$2	USPAT	OR	OFF	2005/07/06 16:46
S1	4	interrupt\$3 with communicat\$5 adj adapter\$3 with (identif\$5 or determi\$5)	USPAT	OR	OFF	2005/06/28 10:18
S2	4	(identif\$5 or determi\$5) with interrupt\$3 with communicat\$5 adj adapter\$3	USPAT	OR	OFF	2005/06/28 10:20
S3	1	(identif\$5 or determi\$5) with interrupt\$3 with communicat\$5 adj adapter\$3 same (information\$3 or section\$3)	USPAT	OR	OFF	2005/06/28 10:21
S4	2	(identif\$5 or determi\$5) with interrupt\$3 same communicat\$5 adj adapter\$3 same (information\$3 or section\$3)	USPAT	OR	OFF	2005/06/28 10:40
S5	8	(identif\$5 or determi\$5) same interrupt\$3 same communicat\$5 adj adapter\$3 same (information\$3 or section\$3)	USPAT	OR	OFF	2005/06/28 12:34
S6	1	("5918057").PN.	USPAT	OR	OFF	2005/06/29 11:07
S7	8	("4394727" "5109512" "5125093" "5247628" "5283904" "5301324" "5452452" "5515538").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/28 12:02
S8	5	(identif\$5 or determi\$5) same interrupt\$3 same communicat\$5 adj adapter\$3 same (same\$2)	USPAT	OR	OFF	2005/06/28 12:42
S9	7	(identif\$5 or determi\$5) same interrupt\$3 same communicat\$5 adj adapter\$3 same (device\$2)	USPAT	OR	OFF	2005/06/28 12:48
S10	2672	interrupt\$3 with (device\$2) with processor\$3	USPAT	OR	OFF	2005/06/28 12:48
S11	92	interrupt\$3 with same\$2 with (device\$2) with processor\$3	USPAT	OR	OFF	2005/06/28 12:49
S12	5	interrupt\$3 with same\$2 with (device\$2) with processor\$3.ab.	USPAT	OR	OFF	2005/06/28 12:57
S13	92	interrupt\$3 with same\$2 with (device\$2) with processor\$3	USPAT	OR	OFF	2005/06/28 12:57
S14	1	("5421016").PN.	USPAT	OR	OFF	2005/06/29 13:23

S15	7	resource\$3 with usa\$5 with rat\$5 with threshold\$3	USPAT	OR	OFF	2005/06/29 13:26
S16	0	request\$3 with resource\$3 with usa\$5 with rat\$5 with threshold\$3	USPAT	OR	OFF	2005/06/29 13:26
S17	7	request\$3 same resource\$3 same usa\$5 same rat\$5 same threshold\$3	USPAT	OR	OFF	2005/06/29 13:35
S18	0	request\$3 same (best adj effort\$3 or PBE) same usa\$5 same rat\$5 same threshold\$3	USPAT	OR	OFF	2005/06/29 13:35
S19	0	request\$3 same (best adj effort\$3 or PBE) same rat\$5 same threshold\$3	USPAT	OR	OFF	2005/06/29 13:36
S20	78	request\$3 same (best adj effort\$3 or PBE or resource\$2) same rat\$5 same threshold\$3	USPAT	OR	OFF	2005/06/29 13:36
S21	50	request\$3 same (best adj effort\$3 or PBE or resource\$2) same rat\$5 same threshold\$3 same us\$5	USPAT	OR	OFF	2005/06/29 13:44
S22	1285	request\$3 same obtain\$5 same hardware\$2 (resource\$2) same rat\$5 same threshold\$3 same us\$5	USPAT	OR	OFF	2005/06/29 13:44
S23	2	request\$3 same obtain\$5 same hardware\$2 same (resource\$2) same rat\$5 same threshold\$3 same us\$5	USPAT	OR	OFF	2005/06/29 13:45
S24	5	request\$3 same hardware\$2 same (resource\$2) same rat\$5 same threshold\$3 same us\$5	USPAT	OR	OFF	2005/06/29 13:46
S25	50	request\$3 same (resource\$2) same rat\$5 same threshold\$3 same us\$5	USPAT	OR	OFF	2005/06/29 13:46
S26	9	request\$3 same type\$2 same (resource\$2) same rat\$5 same threshold\$3 same us\$5	USPAT	OR	OFF	2005/06/29 14:11
S27	1	("6760303").PN.	USPAT	OR	OFF	2005/06/29 15:53
S28	2783925	retriev\$3 with request\$3 (function\$3 or metho\$5)	USPAT	OR	OFF	2005/06/29 15:55
S29	49214	retriev\$3 with request\$3 (function\$3 or metho\$5) with node\$2	USPAT	OR	OFF	2005/06/29 15:55
S30	19414	retriev\$3 with request\$3 (function\$3 or metho\$5) with node\$2.ab.	USPAT	OR	OFF	2005/06/29 15:55
S31	15561	retriev\$3 with request\$3 (function\$3 or metho\$5) with node\$2 with cluster\$2.ab.	USPAT	OR	OFF	2005/06/29 15:55

S32	0	retriev\$3 with request\$3 with (function\$3 or metho\$5) with node\$2 with cluster\$2.ab.	USPAT	OR	OFF	2005/06/29 15:55
S33	4	retriev\$3 with request\$3 with (function\$3 or metho\$5) with node\$2 .ab.	USPAT	OR	OFF	2005/06/29 16:09
S34	1	retriev\$3 with request\$3 with (function\$3 or metho\$5) with role\$2 .ab.	USPAT	OR	OFF	2005/06/29 16:10
S35	4	retriev\$3 with request\$3 with (function\$3 or metho\$5) with role\$2	USPAT	OR	OFF	2005/06/29 16:22
S36	17	retriev\$3 with request\$3 with role\$2	USPAT	OR	OFF	2005/06/29 16:40
S37	1	retriev\$3 with request\$3 with role\$2 with tool\$2	USPAT	OR	OFF	2005/06/29 16:40
S38	3	retriev\$3 same request\$3 same role\$2 same tool\$2	USPAT	OR	OFF	2005/06/29 16:41
S39	23	retriev\$3 same role\$2 same tool\$2	USPAT	OR	OFF	2005/06/30 09:10
S40	1	("6760303").PN.	USPAT	OR	OFF	2005/06/30 12:45
S41	1	("6775658").PN.	USPAT	OR	OFF	2005/06/30 14:39
S42	0	atifica\$3 with intellige\$5 with busines\$5 with rul\$3	USPAT	OR	OFF	2005/06/30 14:39
S43	0	atifica\$3 same intellige\$5 same busines\$5 same rul\$3	USPAT	OR	OFF	2005/06/30 14:40
S44	0	artifica\$3 same intellige\$5 same busines\$5 same rul\$3	USPAT	OR	OFF	2005/06/30 14:40
S45	71	notifica\$5 same busines\$5 same rul\$3	USPAT	OR	OFF	2005/06/30 14:41
S46	2	notifica\$5 same busines\$5 same rul\$3.ab.	USPAT	OR	OFF	2005/06/30 14:41
S47	33	server\$3 same history\$3 with (workload\$2 or load\$2)	USPAT	OR	OFF	2005/07/01 15:46
S48	178	collect\$5 with server\$3 with (workload\$2 or load\$2)	USPAT	OR	OFF	2005/07/01 15:46
S49	13	collect\$5 with server\$3 with (workload\$2 or load\$2)with performanc\$5	USPAT	OR	OFF	2005/07/01 16:40
S50	27	collect\$5 with server\$3 with (workload\$2 or load\$2)same performanc\$5	USPAT	OR	OFF	2005/07/01 16:46
S51	13	collect\$5 with server\$3 with (workload\$2 or load\$2)same (history\$5 or log\$5)	USPAT	OR	OFF	2005/07/01 16:48

S52	1	collect\$5 with server\$3 with (workload\$2 or load\$2)same (history\$5 or log\$5) same (analy\$5 or compar\$5)	USPAT	OR	OFF	2005/07/01 16:50
S53	3	collect\$5 with server\$3 with (workload\$2 or load\$2)same (history\$5 or log\$5) same (analy\$5 or compar\$5 or record\$2)	USPAT	OR	OFF	2005/07/01 16:51
S54	23	collect\$5 with server\$3 with (workload\$2 or load\$2)same (history\$5 or log\$5 or record\$)	USPAT	OR	OFF	2005/07/05 09:29
S55	13	S49	USPAT	OR	OFF	2005/07/01 16:51
S56	65	server\$3 with (workload\$2 or load\$2)same (history\$5 or log\$5 or record\$) same capacit\$2	USPAT	OR	OFF	2005/07/05 09:37
S57	183	server\$3 same (workload\$2 or load\$2)same (history\$5 or log\$5 or record\$) same capacit\$2	USPAT	OR	OFF	2005/07/05 09:37
S58	3	server\$3 same (workload\$2 or load\$2)same (history\$5 or log\$5 or record\$) same capacit\$2.ab.	USPAT	OR	OFF	2005/07/05 10:22
S59	10	("20020007463" "20020188877" "20030005024" "20030023885" "20030055969" "20030056125" "20030056126" "20030158940" "5644720" "6704877").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/05 09:38
S60	11	server\$3 with (workload\$2 or load\$2) with (history\$5 or log\$5 or record\$) with capacit\$2	USPAT	OR	OFF	2005/07/05 10:25
S61	65	server\$3 with (workload\$2 or load\$2) same (history\$5 or log\$5 or record\$) same capacit\$2	USPAT	OR	OFF	2005/07/06 11:28
S62	183	server\$3 same (workload\$2 or load\$2) same (history\$5 or log\$5 or record\$) same capacit\$2	USPAT	OR	OFF	2005/07/05 11:00
S63	803	server\$3 same (workload\$2 or load\$2) same capacit\$2	USPAT	OR	OFF	2005/07/05 11:00
S64	30	server\$3 same (workload\$2 or load\$2) same capacit\$2.ab.	USPAT	OR	OFF	2005/07/05 13:20
S65	1	("6516348").PN.	USPAT	OR	OFF	2005/07/05 13:48
S66	1	("6117180").PN.	USPAT	OR	OFF	2005/07/05 13:49
S67	1	("6076174").PN.	USPAT	OR	OFF	2005/07/05 13:49
S68	1	("6470406").PN.	USPAT	OR	OFF	2005/07/05 13:54
S69	1	("6574587").PN.	USPAT	OR	OFF	2005/07/05 14:30
S70	1	("6571288").PN.	USPAT	OR	OFF	2005/07/05 15:18
S71	0	("9984192").PN.	USPAT	OR	OFF	2005/07/05 15:19

S72	1	("20020003019").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/05 15:22
S73	1	("20040003019").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/05 15:56
S74	1	("5287467").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/05 15:47
S75	1	("5887161").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/05 15:58
S76	1	("6549930").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/05 15:49
S77	1	("0605872").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2005/07/05 15:56
S78	1453	collect\$5 with type\$5 with (load\$5 or workload\$3)	USPAT	OR	OFF	2005/07/06 11:29
S79	11	server\$5 with collect\$5 with type\$5 with (load\$5 or workload\$3)	USPAT	OR	OFF	2005/07/06 11:30
S80	2	server\$5 with collect\$5 with type\$5 adj (load\$5 or workload\$3)	USPAT	OR	OFF	2005/07/06 11:31
S81	68	collect\$5 with type\$5 adj (load\$5 or workload\$3)	USPAT	OR	OFF	2005/07/06 11:31
S82	19	collect\$5 near type\$5 adj (load\$5 or workload\$3)	USPAT	OR	OFF	2005/07/06 11:32
S83	68	S81	USPAT	OR	OFF	2005/07/06 11:31
S84	0	server with collect\$5 near type\$5 adj (workload\$3)	USPAT	OR	OFF	2005/07/06 11:32
S85	0	server with collect\$5 with type\$5 adj (workload\$3)	USPAT	OR	OFF	2005/07/06 11:32
S86	0	collect\$5 with type\$5 adj (workload\$3)	USPAT	OR	OFF	2005/07/06 11:32
S87	4	collect\$5 same (type\$5 or kind\$5) adj (workload\$3)	USPAT	OR	OFF	2005/07/06 11:37
S88	201	collect\$5 same (type\$5 or kind\$5) adj (workload\$3 or load\$5)	USPAT	OR	OFF	2005/07/06 11:37
S89	72	collect\$5 with (type\$5 or kind\$5) adj (workload\$3 or load\$5)	USPAT	OR	OFF	2005/07/06 11:39
S90	3	collect\$5 with (type\$5 or kind\$5) adj (workload\$3 or load\$5) same server\$	USPAT	OR	OFF	2005/07/06 11:37
S91	109	collect\$5 with (type\$5 or kind\$5 or class\$3) adj (workload\$3 or load\$5)	USPAT	OR	OFF	2005/07/06 11:40
S92	2	collect\$5 with (type\$5 or kind\$5 or class\$3) adj (workload\$3)	USPAT	OR	OFF	2005/07/06 12:47

S93	1656	collect\$5 with (type\$5 or kind\$5 or class\$3) with (workload\$3 or load\$3)	USPAT	OR	OFF	2005/07/06 12:47
S94	80	collect\$5 with (type\$5 or kind\$5 or class\$3) with (workload\$3 or load\$3).ab.	USPAT	OR	OFF	2005/07/06 12:50
S95	8	collect\$5 with (type\$5 or kind\$5 or class\$3) with server\$2.ab.	USPAT	OR	OFF	2005/07/06 12:50
S96	12	collect\$5 with (type\$5 or kind\$5 or class\$3) with server\$2 with performanc\$5	USPAT	OR	OFF	2005/07/06 14:46
S97	1	("6694228").PN.	USPAT	OR	OFF	2005/07/06 14:47
S98	1	("6694288").PN.	USPAT	OR	OFF	2005/07/06 16:45
S99	1	("6571288").PN.	USPAT	OR	OFF	2005/07/06 15:18